


03eo



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Boguslaw Swedek et al.

Art Unit: Unknown

Serial No.: 09/847,867

Examiner: Unknown

Filing Date: May 2, 2001

Title: INTEGRATED ENDPOINT DETECTION SYSTEM WITH OPTICAL AND EDDY CURRENT MONITORING

Commissioner for Patents
Washington, D.C. 20231RESPONSE TO NOTICE TO FILE CORRECTED APPLICATION PAPERS

Responsive to the Notice to File Corrected Application Papers mailed August 30, 2001 (a copy of which is enclosed), applicant as a large entity submits herewith the following:

☒ Substitute drawings (11 sheets) in compliance with 37 CFR 1.84.

Please apply any other charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

Date: 10/30/01

David J. Goren
David J. Goren
Reg. No. 34,609

Correspondence Address:

Patent Counsel
Applied Materials, Inc.
Legal Affairs Department
P.O. Box 450A
Santa Clara, CA 95052
50066692.doc

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231

October 30, 2001

Date of Deposit

Signature

Matilde C. Sanchez

Matilde C. Sanchez

Typed or Printed Name of Person Signing Certificate

COPY OF PAPERS
ORIGINALLY FILED



COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/847,867	05/02/2001	Boguslaw A. Swedek	5252-451001

CONFIRMATION NO. 5820

FORMALITIES LETTER



OC000000006495812

PATENT COUNSEL
APPLIED MATERIALS, INC.
Legal Affairs Department
P.O. BOX 450A
Santa Clara, CA 95052

REC'D SEP 05 2001

Date Mailed: 08/30/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE